

Building/Zoning Permit Application
Ordinance 441, 599 and 799

The Borough of Hollidaysburg

401 Blair Street, Hollidaysburg, PA 16648
www.hollidaysburgpa.org

(814) 695-7543
FAX: (814) 696-0636
TTY: (814) 696-0300

I. IDENTIFICATION

Applicant	Name <u>Daniel - Terri Riggle</u> Phone <u>814-695-9796</u>
	Street City Zip <u>310 Wayne St Hollidaysburg, PA 16648</u>
Property Owner	Name <u>Daniel - Terri Riggle</u> Phone <u>814-695-9796</u>
	Street City Zip <u>310 Wayne St Hollidaysburg, PA 16648</u>
Contractor	Name <u>Same as above</u> Phone _____
	Street City Zip _____
	State License Number _____

II. TYPE OF IMPROVEMENT

1 <input type="checkbox"/> New Construction	4 <input checked="" type="checkbox"/> Repair, replacement	7 <input type="checkbox"/> Electric
2 <input type="checkbox"/> Addition	5 <input type="checkbox"/> Change of Use	8 <input type="checkbox"/> Plumbing
3 <input type="checkbox"/> Structural	6 <input type="checkbox"/> Other	9 <input type="checkbox"/> Mechanical (Air conditioning and/or heating systems)

III. SITE LOCATION

Site Address: 310 Wayne St Hollidaysburg PA 16648


Parcel Number: _____ Zoning District: _____

SITE LOCATED OUTSIDE OF AN IDENTIFIED FLOOD PLAIN AREA (Complete Page 1 & 2 only)

SITE LOCATED WITHIN AN IDENTIFIED FLOOD PLAIN AREA (Complete Page 1, 2 & 3)

LOWEST FLOOR ELEVATION: _____
(INCLUDING BASEMENT)

100 YEAR FLOOD ELEVATION: _____



HARB Application for Exterior Work

The Borough of Hollidaysburg

401 Blair Street, Hollidaysburg, PA 16648
www.hollidaysburgpa.org

(814) 695-7543
FAX: (814) 695-0636
TTY: (814) 695-0300

I. PROPERTY INFORMATION

Street Address

310 Wayne St
Hollidaysburg PA 16648

Zoning
Classification

II. APPLICANT INFORMATION

Applicant Name

Daniel - Terri Riggie

Street Address

310 Wayne St

City State Zip

Hollidaysburg PA 16648

Phone

814-695-9796

Name of Owner

Address of Owner

Same as above

Owners
Representative

(If the owner or the applicant is unable to attend the HARB meeting, the owner's representative should have the authority to commit the owner to changes authorized by the HARB)

III. APPLICATION INFORMATION

Application type:

Remodeling

Demolition

New Construction

Addition

Signage

Other: roof / paint home

Attachments to Application: (The HARB requires elevations, site plans, photographs, material samples, etc for its review in the proposed work. Please indicate the attachments that are being submitted.)

Elevations

Rendering

Site Plans

Photographs

Streetscape

Material Samples, Description, Specs.

VIII. MINIMIZATION OF FLOOD DAMAGE

Describe construction methods and materials that will be used to minimize flood damage in accordance with municipal regulations and ordinances. Attach plans and elevations in sufficient detail to enable the Permit Officer to determine the proposed work will meet such applicable requirements. Attach all documents and provide all information required by Borough Ordinance No. 599, as may be amended from time to time.

applied from

A. If improvement (modification, alteration, reconstruction, addition, etc.) is to an existing structure, will improvement amount to fifty percent (50%) or more of the Market Value of the existing structure?

YES

B. Estimated Market Value of existing structure:

NO

\$ 120,000

I hereby certify that the proposed construction has been adequately designed against flood damage and that the plans for development of the site are in compliance with all rules and regulations of Hollidaysburg Borough Ordinance No. 599 concerning construction within an Identified Floodplain Area.

Signature of Engineer or Architect	Date	SEAL
Name _____ Street Address _____ City, State, Zip _____ Phone _____		

IV. SITE OR PLOT PLAN

A. If you are applying for new construction, addition, or driveway, sidewalk, or fence permit, please attach a plan of the site showing the exact size and location of the property lines, proposed construction as well as any existing buildings or structures. Where applicable, accurately delineate any area which is subject to flooding. (Plan submission is required for projects regulated by the Pennsylvania Uniform Construction Code)

V. DESCRIPTION OF PROPOSED PROJECT

Estimated Starting Date June 1st 2010

Estimated Completion Date June 7th

Estimated Total Construction or Project Cost \$1500.00

Please provide a description of proposed project:

Seamless Steel Roof

Paint home - same color as it is (yellow/green)

Notice: Act: 222, the "Building Energy Conservation Act", of 1980, establishes minimum energy conservation standards for residential construction. All work involving new construction, building additions, and/or substantial renovation must comply with the provision of this act. The builder is required, by this Act, to provide a written warranty to the homeowner certifying that the new home, addition or renovation is in compliance with the provisions of Act 222.

I hereby certify that the facts contained herein are correct and the proposed work is authorized by the owner of record, and that I have been authorized by the owner to make this application as his authorized agent

Signature of Applicant [Signature] Date 5-27-20

DO NOT WRITE BELOW THIS LINE

VI. ACTION

Permit (s) Approved: Zoning Permit
Permit (s) Denied:
Reason for Denial:

- Building Permit
- Electric Permit
- Mechanical Permit
- Plumbing Permit

Plans Required

- No
- Yes

VII. FEES (Checks payable to "The Borough of Hollidaysburg".)

Zoning Permit Fee: \$ _____ Building Permit Fee: \$ _____
Electric Permit Fee: \$ _____
Plumbing Permit Fee: \$ _____
Mechanical Permit Fee: \$ _____
Act 13 Fee \$ 2.00
Total Fee: \$ _____

IV. DESCRIPTION OF PROPOSED WORK

(Describe the exterior changes to be made or the exterior characteristics of the structure to be erected. Include information on dimensions, placement, materials, colors, etc. Indicate how existing building materials and elements will be changed or affected.)

17 x 42 x 2 Main

9 x 25 x 2 Hip Roofs

Tear off old shingles

IV Furring strips; Felt, weather guard

Hunter Green Seamless Metal Roofing system

V. ANTICIPATED PROJECT TIMETABLE/SCHEDULE

1 week

****ALL APPLICATIONS ARE DUE BY NOON ONE WEEK PRIOR TO MEETING. ****

VI. SIGNATURES

Owner: Luiz Regalado

Date: 5-27-20

Applicant: _____

Date: _____

(If other than the owner)



FREEDOM METALS

2301 Ritner Hwy, Carlisle, PA 17015

fmold220@gmail.com

freedommetals.com



Bright White



Light Stone



Beige



Sahara Tan



Ash Gray



Clay



Buckskin



Burnished Slate



Cocoa Brown



Burgundy



Barn Red



Dark Red



Bright Red



Evergreen



Forest Green



*Copper



Charcoal



Black



Gallery Blue




Hawaiian Blue


*Indicates Special Order
Actual Colors may vary from Samples Shown




WeatherXL™



It's thinner than a strand of hair yet stands up to the wind, rain and blazing sun.



Maximum hardness against scratching in even the harshest conditions.



Colors you've come to expect, creating a colorful, lasting impression.

Stronger than ever, no matter what the weather.

Stands up to the harshest elements while preserving color and gloss.

Resists the toughest exterior and installation conditions

Created to withstand most anything that comes its way, our specially formulated WeatherXL™ silicone-modified polyester coating is designed to go where it will be abused—maintaining extreme resistance to abrasion, chipping and marring with tremendous color and gloss retention.

A choice of distinctive colors

Select from a wide palette of colors, from bright white to jet black. Many are available in Solar Reflective (SR) formulations to meet Energy Star® and LEED qualifications. These cool coating formulations help lower the overall temperature of the structures, enabling savings on energy costs, and while providing exceptional durability.



valspar


valspar

Paints • Coatings • Adhesives • Sealants

WeatherXL Silicone Modified Polyester Coil Coating Systems

Most WeatherXL and WeatherXL Crinkle Finish Valspar's flagship silicone modified polyester (SMP) coatings. These cutting-edge formulations each feature a two-coat finish recognized for its durability, offering stronger protection and endurance during extreme conditions.

WeatherXL family of coatings live up to their warrior and workhorse reputation when you need your design to last, providing first-class, super-strength resistance to scratching, chalking, fading and weathering.



WeatherXL

Created to withstand most anything that comes its way, our specially formulated WeatherXL silicone-modified polyester coating is designed to go where it will be abused — maintaining extreme resistance to abrasion, chipping and marring with tremendous color and gloss retention.

COLORS

WeatherXL coatings are available in a wide palette of colors from bright white to jet black, many of which are available in Solar Reflective (SR) formulations to meet ENERGY STAR® and LEED certifications.

WeatherXL Crinkle Finish


The unique texture of WeatherXL's Crinkle Finish redirects light for enhanced visual depth, promising step-change improvement over flat-panel appearance. Its responsive design allows its subtle shading to mirror the eye's natural horizontal motion, creating beautifully shifting, shimmering tones.

SUBSTRATES


May be applied to a number of pretreated substrates, including aluminum, Galvalume® and hot-dip galvanized (HDG) steel.

Microscratch Test


Weather X™: After failure



Weather XL™: After failure



LESS
IRREVERSIBLE
DAMAGE



Developed to face everyday friction

To deliver extreme protection, we leveraged the science of tribology—the study of how surfaces interact in relative motion—to address the particular stress most likely to damage a panel between the fabricator and the finished building: abrasion. The results were outstanding, showing that WeatherXL™ can withstand the harshest conditions.

In a **Microscratch Test**, Valspar scientists used a diamond stylus to scratch the coating. Result: WeatherXL™ demonstrated better scratch resistance.

Performs beautifully in any number of settings

- Commercial and residential metal roofing
- Agricultural and industrial metal building components
- Metal wall panels
- Pre-engineered metal building systems

Backed by Valspar's unequalled service and technical support

- Unmatched lead times
- Highly responsive customer service
- The best technical support in the industry

valspar

Valspar Coil and Extrusion Coating Division

888-306-2645

coilhelp@valspar.com

valsparcoilextrusion.com

WeatherXL Silicone Modified Polyester Coil Coating Systems

BENEFITS

WeatherXL family of coatings provide a number of unique benefits, including:

- Superior weatherability
- Best resistance yet to chalking, fading and scratching for SMP
- Exceptional color and gloss retention
- Outstanding color consistency
- Proven durability

END USES

WeatherXL family of coatings are ideal for residential and commercial building products, including:

- Commercial and residential metal roofing
- Agricultural and industrial metal building components
- Metal wall panels
- Pre-engineered metal building systems
- Siding, gutters and downspouts

AT YOUR SERVICE

Do you have a unique application? We'll work with you to find a solution. Want a unique color? We'll create it for you. Need a quick turnaround? Talk to us, and we'll help you get your project completed on time. We're here to help. In fact, with our availability at coating and service centers throughout the country, we're there for you. Give us a call and see how we can help with your next project.


Coil Customer Service: 888-306-2645 — coilhelp@valspar.com

COMMITMENT TO QUALITY — TECHNICAL DATA: WEATHERXL FAMILY

	Weather XL	Weather XL Crinkle
Coating System	SMP	SMP
Number of Coats	2 coat	2 coat
Dry Film Thickness (DFT)	DFT: 0.9 - 1.1 mils Color Coat: 0.7 - 0.8 mils Primer 0.2 - 0.3 mils Backer: 0.2 - 0.3 mils	DFT: 0.9 - 1.1 mils Color Coat: 0.7 - 0.8 mils Primer 0.2 - 0.3 mils Backer: 0.2 - 0.3 mils
Industry Specification Compliance	AAMA 2604-13*	AAMA 2604-13*
Substrates	Applied to pretreated aluminum, HDG and Galvalume®	Applied to pretreated aluminum, HDG and Galvalume®
Abrasion Resistance, ASTM D 968**	35 ± 5 liters	35 ± 5 liters
Cross Hatch Adhesion, ASTM D 3359	No loss of adhesion	No loss of adhesion
Flame Test, ASTM E 84	Class A	Class A
Graffiti Resistance, ASTM D 6578 / D 6578M	Meets and exceeds	Meets and exceeds
Humidity Resistance, ASTM D 2247, 100% RH -2,000 hrs	Galvalume® or HDG: No field blisters Aluminum: No field blisters	Galvalume® or HDG: No field blisters Aluminum: No field blisters
MEK Double Rubs ASTM D 5402	150 Plus	150 Plus
Impact Resistance (direct), ASTM D 2794	Galvalume® or HDG: 3x3 metal thickness inch-pounds, no loss of adhesion. Aluminum: 1.5x metal thickness inch-pounds, no loss of adhesion.	Galvalume® or HDG: 3x3 metal thickness inch-pounds, no loss of adhesion
Pencil Hardness, ASTM D 3363	F to 2H	F to 2H
Salt Spray, ASTM B117 - 1,000 and 2,000 Hours	Galvalume® or HDG: Creep from scribe ≤ 1/8 inch (3mm), none or few #8 blisters. Aluminum: Creep from scribe ≤ 1/8 inch (3mm); few #8 blisters	Galvalume® or HDG: Creep from scribe ≤ 1/8 inch (3mm), none or few #8 blisters. Aluminum: Creep from scribe ≤ 1/8 inch (3mm), few #8 blisters
South Florida Color, ASTM D 2244 Chalk, ASTM D 4214 Film Integrity, ASTM G7	Color: No more than 5ΔE Hunter units at 90° vertical angle and 6ΔE non-vertical at 20 yrs Chalk: Rating no less than 8 at 90° angle and 7 at non-vertical angle at 20 yrs Film Integrity: 25 years, no blisters, peeling or cracking	Color: No more than 5ΔE Hunter units at 90° vertical angle and 6ΔE non-vertical at 20 yrs Chalk: Rating no less than 8 at 90° angle and 7 at non-vertical angle at 20 yrs Film Integrity: 25 years, no blisters, peeling or cracking
Specular Gloss at 60°, ASTM D 523	20 to 80	<5 @ 60 Degrees
T-Bends, ASTM D 4145	2T to 4T ³ with no loss of adhesion	2T to 4T with no loss of adhesion

WEATHERXL TWO COAT SYSTEM

Two-coat SMP resin system with total Dry Film Thickness (DFT) of 0.9 to 1.1 mils.



Color Coat: 0.7 - 0.8 mils
Primer: 0.2 - 0.3 mils
Backer: 0.2 - 0.3 mils

*American Architectural Manufacturers Association. **American Society for Testing and Materials.

For details and health, safety and handling information, Material Safety Data Sheets (MSDS) are available at www.valsparcoilextrusion.com.


WeatherXL® is a registered trademark of The Valspar Corporation.

VALSPAR MAKES NO WARRANTIES, EXPRESS OR IMPLIED, AND DISCLAIMS ALL IMPLIED WARRANTIES INCLUDING WARRANTIES OF MERCHANTABILITY OR FITNESS FOR A PARTICULAR USE. VALSPAR WILL NOT BE LIABLE FOR ANY SPECIAL, INCIDENTAL OR CONSEQUENTIAL DAMAGES.

Valspar Coil and Extrusion Coating Division
Phone: 888-351-6900
Email: extrusionhelp@valspar.com
www.valsparcoilextrusion.com

VAL5500C 2017 © The Valspar Corporation. All Rights Reserved

valspar®



FREEDOM METALS

107 Ryan Lane, Duncansville, PA 16635 Phone (814) 224-4438

E-mail fmold220@gmail.com Website freedommetal.com

April 2020

Price Per Linear Foot, 36" Coverage

28 Gauge PAINTED AG PANELS (40 Year Warranty)	\$2.29
29 Gauge GALVANIZED PANELS (No Warranty)	\$1.29
29 Gauge GALVALUME PANELS (10 Year Warranty)	\$1.69
29 Gauge PAINTED WHITE-LINER PANELS (10 Year Warranty)	\$1.95
SUNSKY PANELS - 10', 12' (10 Year Limited Warranty)	\$4.00

TRIM (10' Sections)

RIDGE OR HIP CAP (6" X 6")	\$14.95	FASCIA (6" X 1.25")	\$ 10.70
RESIDENTIAL RAKE (5.75" x 4" Face)	\$14.95	F & J CHANNEL	\$ 12.95
CORNER (Inside or Outside) (6" x 6")	\$14.95	OVERHEAD DOOR TRIM	\$ 18.20
DOUBLE ANGLE/Z-BAR	\$ 6.95	TRACK COVER	\$ 16.95
J-CHANNEL (2.5" x 1" x 7/8")	\$ 6.70	SNOW FENCE	\$ 12.45
J-CHANNEL (V-Soffit) (3" x 1/2" x 7/8")	\$ 6.70	W VALLEY or V VALLEY (19"X19")	\$ 26.95
ROOF STARTER (3" X 3")	\$ 8.70	WALL BASE/RAT GUARD	\$ 8.70
L WALL BASE	\$ 8.70	FLASHING (ENDWALL, SIDEWALL, CHIMNEY, TRANSITION, SPLASH GUARD & GAMBREL)	\$ 11.45
FLAT STOCK (41"X 10')	\$23.90		

ACCESSORIES

FOAM CLOSURES (FOP & FUP)	\$ 0.90	REX UNDERLAYMENT PAPER (4'X250', 1000 sq. ft.)	\$ 93.00
CAULKING (COLORED OR CLEAR)	\$ 6.50	ECONO-E INSULATION (4'X125', 500 sq. ft.)	\$ 220.00
BUTYL TAPE (1/2"X50' ROLL)	\$ 5.75	ECONO-E INSULATION TAPE (3"X150')	\$ 20.30
BUTYL TAPE (3/16X25' ROLL)	\$ 3.75	FANFOLD INSULATION (1/4" THICK, 4'X50', 200 sq. ft.)	\$ 43.75
FLO-VENT (10' ROLL)	\$15.00	SNOW BIRDS (AG PANEL 4500 Series)	\$ 4.25
EM-SEAL (20' ROLL)	\$15.00	TOUCH-UP PAINT 8.5 oz/ \$19.95 4.25 oz/	\$ 6.00
DRIVER (1/4" SHORT)	\$ 2.00	FURRING STRIPS (1"X3"X12')	\$ 2.75
DRIVER (1/4" LONG)	\$ 3.00	(1"X4"X12')	\$ 3.55

SCREWS

1" FAST GRIP/PRO-Z	\$15.00/\$30.00	1" SELF DRILLING	\$17.45
1 1/2" FAST GRIP/PRO-Z	\$17.50/\$32.50	1 1/4" SELF DRILLING	\$18.45
2 " FAST GRIP/PRO-Z	\$20.00/\$35.00	1 1/2" SELF DRILLING	\$20.25
		2" SELF DRILLING	\$22.00

*QUOTES ARE GOOD FOR 15 DAYS * PRICES SUBJECT TO CHANGE WITHOUT NOTICE *30 % RESTOCKING FEE ON ALL RETURNED MERCHANDISE



FREEDOM METALS

107 Ryan Lane, Duncansville, PA 16635 Phone (814) 224-4438

E-mail: fmold220@gmail.com Website: www.freedommetal.com

February 2020

1" (NAIL FLANGE, 16" WIDE PAN) 1 1/2" (16" WIDE PAN) 1 3/4" (14" WIDE PAN) Price Per Linear Foot.

26 Gauge STANDING SEAM (SILICONIZED POLYESTER PANEL) 40 YEAR WARRANTY	SMP	\$ 1.95
	Crinkle	\$ 2.05
	KYNAR	\$ 3.05

TRIM (10' SECTIONS)

	SMP	KYNAR		SMP	KYNAR
RIDGE or HIP CAP	\$18.85	\$25.50	FASCIA (6"X1")	\$12.85	\$13.75
HI-RIB RAKE	\$17.85	\$23.75	W VALLEY or V VALLEY	\$29.95	\$31.75
CORNER RAKE (6"X6")	\$17.85	\$23.75	Z-BENDS	\$ 5.85	\$ 6.75
CORNER	\$17.85	\$23.75	Z-BENDS (PERFORATED)	\$ 9.85	\$10.75
J-CHANNEL	\$ 8.85	\$ 9.25	J-Z COMBO	\$18.95	\$20.95
ROOF STARTER	\$10.35	\$13.75	J-Z COMBO (PERFORATED)	\$ 22.95	\$24.95
ROOF STARTER/RAKE	\$10.35	\$13.75	CLEATS	\$ 6.95	\$ 6.95
FLASHING (ENDWALL, SIDEWALL, CHIMNEY, TRANSITION & GAMBREL)	\$13.35	\$15.75			

ACCESSORIES

CLIPS- 1 1/2"	\$ 0.25
CLIPS- 1 3/4"	\$ 0.40
PROFILE VENT- 1" SNAP-LOCK	\$ 2.25 PER FOOT
PROFILE VENT- 1 1/2" SNAP-LOCK	\$ 2.25 PER FOOT
CAULKING (COLORED or CLEAR)	\$ 6.50
BUTYL TAPE (1/2"X50' ROLL)	\$ 5.75
BUTYL TAPE (3/16"X25' ROLL)	\$ 3.75
REX UNDERLAYMENT PAPER (4'X250', 1000 sq. ft.)	\$ 93.00
ECONO-E INSULATION (4'X125', 500 sq. ft.)	\$220.00
ECONO-E INSULATION TAPE (3"X50')	\$ 20.30
FANFOLD INSULATION (1/4" THICK, 4'X50', 200 sq. ft.)	\$ 43.75
EM-SEAL (20' ROLL)	\$ 15.00
FLOVENT (10' ROLL)	\$ 15.00
SNOW GUARDS (1" STANDING SEAM, starting at...)	\$ 15.75
SNOW GUARDS (1 1/2" STANDING SEAM, starting at...)	\$ 15.75
SNOW GUARDS (1 3/4" STANDING SEAM, starting at...)	\$ 15.75
SNOW RAIL SYSTEM 8' RAIL	\$ 88.55 (RAIL \$20.75, S5 CLAMP \$7.65 X 6, VERSA CLIP \$3.65 X 6, COLOR STRIP \$4.00, optional, * SNOCLIP \$4.25x6, optional depending on location and snow average per year.

PANCAKE SCREWS (Bags of 250)

1"	\$ 7.50
1 1/2"	\$ 8.75
2"	\$13.35

*QUOTES ARE GOOD FOR 15 DAYS

* PRICES ARE SUBJECT TO CHANGE WITHOUT NOTICE

*30 % RESTOCKING FEE ON ALL RETURNED MERCHANDISE



FREEDOM METALS

107 Ryan Lane, Duncansville, PA 16635 Phone (814) 224-4438

E-mail fmold220@gmail.com Website freedommetal.com

February 2020

1" (NAIL FLANGE, 16" WIDE PAN) 1 1/2" (16" WIDE PAN) 1 3/4" (14" WIDE PAN) Price Per Linear Foot.

24 GAUGE STANDING SEAM (KYNAR) 40 YEAR WARRANTY	\$ 3.22
24 GAUGE GALVALUME STANDING SEAM	\$ 1.85

TRIM (10' SECTIONS)

RIDGE or HIP CAP	\$26.75	FASCIA (6"X1")	\$13.75
HI-RIB RAKE	\$24.75	W VALLEY or V VALLEY	\$31.75
CORNER RAKE (6"X6")	\$24.75	Z-BENDS	\$ 6.75
CORNER	\$24.75	Z-BENDS (PERFORATED)	\$10.75
J-CHANNEL	\$ 9.75	J-Z COMBO	\$20.95
ROOF STARTER	\$14.75	J-Z COMBO (PERFORATED)	\$24.95
ROOF STARTER/RAKE	\$17.95	CLEATS	\$ 6.95
FLASHING (ENDWALL, SIDEWALL, CHIMNEY, TRANSITION & GAMBREL)	\$16.95		

ACCESSORIES

CLIPS- 1 1/2"	\$ 0.25	
CLIPS- 1 3/4"	\$ 0.40	
PROFILE VENT- 1" SNAP-LOCK	\$ 2.25 PER FOOT	
PROFILE VENT- 1 1/2" SNAP-LOCK	\$ 2.25 PER FOOT	
CAULKING (COLORED or CLEAR)	\$ 6.50	
BUTYL TAPE (1/2"X50' ROLL)	\$ 5.75	
BUTYL TAPE (3/16"X25' ROLL)	\$ 3.75	
REX UNDERLAYMENT PAPER (4'X250', 1000 sq. ft.)	\$ 93.00	
ECONO-E INSULATION (4'X125', 500 sq. ft.)	\$ 220.00	
ECONO-E INSULATION TAPE (3"X50')	\$ 20.30	
FANFOLD INSULATION (1/4" THICK, 4'X50', 200 sq. ft.)	\$ 43.75	
EM-SEAL (20' ROLL)	\$ 15.00	
FLOVENT (10' ROLL)	\$ 15.70	
SNOW GUARDS (1" STANDING SEAM, starting at...)	\$ 15.75	
SNOW GUARDS (1 1/2" STANDING SEAM, starting at...)	\$ 15.75	
SNOW GUARDS (1 3/4" STANDING SEAM, starting at...)	\$ 15.75	
SNOW RAIL SYSTEM 8' RAIL	\$ 88.55	(RAIL \$20.75, S5 CLAMP \$7.65 X 6, VERSA CLIP \$3.65 X 6.)
		COLOR STRIP \$4.00, optional, * SNOCLIP \$4.25 optional,
		depending on location and snow average per year.

PANCAKE SCREWS (Bags of 250)

1"	\$ 7.50
1 1/2"	\$ 8.75
2"	\$ 13.35

*QUOTES ARE GOOD FOR 15 DAYS

* PRICES ARE SUBJECT TO CHANGE WITHOUT NOTICE


*30 % RESTOCKING FEE ON ALL RETURNED MERCHANDISE

Freedom Metals - 1.75" Standing Seam




Materials:

- .019 Steel 26 gauge
- .024 Steel 24 gauge



Specs:

18" Wide 1.75" High Rib



Product Features

- * Available in SMP, SMP Crinkle, or KYNAR paint finishes
- * Hidden Fasteners
- * 40 Year Warranty
- * Fire Resistant
- * Highly Durable
- * Outstanding Color and Gloss Retention

107 Ryan Lane, Duncansville, Pa 16635 814-224-4438
www.freedommetal.com


Freedom Metals - 1.5" Standing Seam



Materials:


.019 Steel 26 gauge

.024 Steel 24 gauge



Specs:

14" - 18" Wide 1.5" High Rib



Product Features

- * Available in SMP, SMP Crinkle, or KYNAR paint finishes
- * Hidden Fasteners - Utilizing clip system
- * 40 Year Warranty
- * Fire Resistant
- * Highly Durable
- * Outstanding Color and Gloss Retention

107 Ryan Lane, Duncansville, Pa 16635 814-224-4438
www.freedommetal.com

Freedom Metals 1" Standing Seam



Materials:


.019 Steel 26 gauge

.024 Steel 24 gauge



Specs:

12" - 20" Wide 1" High Rib



Product Features

- * Available in SMP, SMP Crinkle, or KYNAR paint finishes
- * Hidden Fasteners
- * 40 Year Warranty
- * Fire Resistant
- * Highly Durable
- * Outstanding Color and Gloss Retention

107 Ryan Lane, Duncansville, Pa 16635 814-224-4438
www.freedommetal.com